



EOV 5kW

Solar Storage System

- □ Plug- and- play, eliminate the clutter of wires
- □ Support Off- grid output
- □ Min. width of just 13cm, saving space in the home
- □ Support Wifi view real-time data through APP
- ☐ Up to 4 batteries in parallel expand to 20.48kWh
- □ Up to 2 systems in parallel with double storage & output



STANDARD

Safety

Transportation



- □ SRNE 15 years in PV industry, committed to independent R&D and production.
- □ Holds over 200 patents in energy storage, with unique industryleading technologies.
- □ Chooses top-quality international components to deliver highvalue products to customers.
- □ Upholds values of customer priority, proactivity, responsibility, and innovative breakthroughs.

SRNE Solar Co,.ltd. www.srnesolar.com



IVERTER MODEL	SR-EOV05C-110
DUTPUT	
Rated Output Power	5,000W
Max. Peak Power	10,000VA
oad Capacity of Motor	4HP
Nave Form	Pure Sine Wave
Rated Frequency	50Hz/60Hz
Max. Parallel Capacity	2 units (up to 10kW)
Rated Output Voltage	120Vac (single phase)
SOLAR INPUT	
Solar Charge Type	MPPT
Max. Output Power	5,500W
Max. Solar Open Circuit Voltage	500Vdc
GRID/GENERATOR INPUT	
nput Voltage Range	90~140Vac
Bypass Overload Current	63A
BATTERY CHARGING	
Max. Solar Charging Current	100A
Max. Grid/Generator Charging Current	40A
GENERAL	
Gross Weight	23kg (50.71lb)
Dimension	500*555*130mm (1.64*1.82*0.42ft)
Protection Degree	IP20
Cooling Mode	Natural cooling
STANDARD	
Safety	EN61000, C2 , CE(EN62109-1)
BATTERY MODEL	SR-EOV05B
MAIN INFO	
Battery Power	5.12kWh
Rated Voltage	51.2V
Rated Capacity	100Ah
Standard charge current	50A
Max. charge current	100A
Battery Type	LFP
Cycling Lifespan	6000 (80%DOD,0.5C,25°C)
Max. Parallel Capacity	4 units (up to 20.48kWh)
GENERAL	
Gross Weight	45kg (99.21lb)
Dimension	600*555*130mm (1.97*1.82*0.42ft)
Protection Degree	IP20

UN38.3

CE-GPSD,IEC62109,EMC